


# Pupil dynamics for presentation attack detection in iris recognition

Adam Czajka

Biometric Laboratories  
NASK & Warsaw University of Technology

International Biometric Performance Conference  
Gaithersburg, April 1-3, 2014

# Static eye imitations



# Static eye imitations

## 1. Static 2D images

- paper and foil printouts
- images displayed on a screen (hypothetical)
- simple but alarming: possible impersonation of a given eye

## 2. Static 3D objects

- authentic eye + printed contact lens
- prosthetic eyes
- impersonation difficult or impossible; typical aim: disturbing an iris pattern to cause a false rejection


# Countermeasures for static eye imitations

## 1. Passive measurement

- 2D liveness features: frequency analysis, use of local binary patterns, use of thermal data
- 3D liveness features: eyeball shape, iris tissue structure, Purkinje reflections

## 2. Active measurement

- positions of stimulated NIR reflections
- tissue absorption for different NIR wavelengths



Example thermal image of the eyes (**left**) and 3D structure of the iris (**right**)

# Dynamic eye imitations


1. Deformable objects with printed iris patterns
2. Movies displayed on a screen, off-line or on-line (hypothetical)
3. Image capture under coercion



Dracula (2000)



Minority report (2002)



Bad company (2002)


# Countermeasures for dynamic eye imitations

1. Passive measurement:  
analysis of involuntary activities of the eye
  - spontaneous oscillations of the pupil size
  - detection of spontaneous blinks
2. Active measurement:  
use of voluntary activities of the eye
  - gaze detection when following moving objects
  - eyeball dynamics (analysis of fixations and saccades)
  - pupil dynamics (modeling of pupil size variations when stimulated by visible light)

# Modeling of pupil dynamics

Clynes Kohn nonlinear model

Liveness features: channel gains ( $K_i$ ,  $K_r$ ),  
time constants ( $T_1$ ,  $T_2$ ,  $T_3$ ) and delays ( $\tau_1$ ,  $\tau_2$ )





$x$  - visible light intensity

$y$  - pupil size

# Modeling of pupil dynamics

Clynes Kohn nonlinear model

Liveness features: channel gains ( $K_i$ ,  $K_r$ ),  
time constants ( $T_1$ ,  $T_2$ ,  $T_3$ ) and delays ( $\tau_1$ ,  $\tau_2$ )





$x$  - visible light intensity  
 $y$  - pupil size



# Modeling of pupil dynamics

Clynes Kohn nonlinear model

Liveness features: channel gains ( $K_i$ ,  $K_r$ ),  
time constants ( $T_1$ ,  $T_2$ ,  $T_3$ ) and delays ( $\tau_1$ ,  $\tau_2$ )





$x$  - visible light intensity  
 $y$  - pupil size

# Modeling of pupil dynamics

Clynes Kohn nonlinear model

Liveness features: channel gains ( $K_i$ ,  $K_r$ ),  
time constants ( $T_1$ ,  $T_2$ ,  $T_3$ ) and delays ( $\tau_1$ ,  $\tau_2$ )



# Modeling of pupil dynamics

Model identification (finding a best fit)

$$\hat{\phi} = \underset{\phi \in \Phi}{\operatorname{argmin}} \sum_{i=1}^N (\hat{y}_{i;\phi} - y_i)^2$$

where:

$\phi = [K_r, K_i, T_1, T_2, T_3, \tau_1, \tau_2]^T$  – liveness features

$\Phi$  – set of possible values of  $\phi$

$\hat{\phi}$  – identified liveness features

$\hat{y}_{i;\phi}$  – model output given the liveness features  $\phi$


$y_i$  – actual (observed) change of the pupil size

$N$  – length of the observed sequence

# Processing of the modeling outcomes

## 1. Classification

- use of Support Vector Machine to classify samples in  $\phi$ -space
- SVM maximizes the gap between samples of different classes
- SVM may solve linear and non-linear problems (use of 'kernel trick')



## 2. Goodness of fit

- use of normalized root mean square error

$$\text{GoF} = 1 - \frac{\|\hat{y}_\phi - y\|}{\|\hat{y}_\phi - \bar{y}\|}$$

where  $\bar{y}$  is an average of  $y$ .

## Question 1: How to simulate odd reactions of the eye?

- using static objects → we're doomed to succeed
- simulation of the coerced use → not really feasible

## Question 1: How to simulate odd reactions of the eye?

- using static objects → we're doomed to succeed
- simulation of the coerced use → not really feasible

## Question 2: Should we uncritically rely on classifier output?

- misclassifications always happen, so what about other metrics, e.g. goodness of fit?

## Question 1: How to simulate odd reactions of the eye?

- using static objects → we're doomed to succeed
- simulation of the coerced use → not really feasible

## Question 2: Should we uncritically rely on classifier output?

- misclassifications always happen, so what about other metrics, e.g. goodness of fit?

## Question 3: How long shall we observe the eye?

- larger times give better modeling, but decrease usability

# Database of eye reactions to light changes

Re: Question 1 (How to simulate odd reactions of the eye?)

## 1. Collection of samples

- involuntary pupil oscillations under no light changes
- pupil reaction to positive and negative jumps in light intensity
- $N = 25$  volunteers  $\times$  2 eyes  $\times$   $K = 4$  samples = 200 samples

## 2. Representatives of actual and odd reactions

- involuntary pupil oscillations as **odd reactions**
- stimulated changes in pupil size as **actual reactions**
- pupil modeled as a circle; pupil size = circle radius


## 3. Division of dataset into training and testing subsets

- leave-one-out cross-validation
- 'one' relates to the person, not a single sequence
- $N$  divisions; in each division:  $2(N - 1)K$  training samples and  $2K$  testing samples




# Database of eye reactions to light changes

Re: Question 1 (How to simulate odd reactions of the eye?)



# Decisions of linear SVM





Observation time: 5 seconds






# Modeling horizon (observation time)

Re: Question 3 (How long shall we observe the eye?)




# FerrLive and FerrFake vs. observation time

Linear SVM, goodness of fit not considered




# FerrLive and FerrFake vs. observation time

Linear SVM, goodness of fit considered




# FerrLive and FerrFake vs. observation time

SVM with Gaussian kernel, goodness of fit not considered



# FerrLive and FerrFake vs. observation time

SVM with Gaussian kernel, goodness of fit considered





# Conclusions

1. Dynamics of the pupil delivers **interesting liveness features**
2. Depending on the assumed dynamics of fake objects, **linear classification seems to be sufficient** to recognize artefacts
3. Having a few additional seconds ( $\geq 3$ ) while capturing the iris may provide **almost perfect recognition** of actual and odd behavior of the pupil

# Contact

Adam Czajka, Ph.D.  
aczajka@elka.pw.edu.pl

Biometrics Laboratory  
Research and Academic Computer Network (NASK)  
Warsaw, Poland

Biometrics and Machine Learning Laboratory  
Warsaw University of Technology  
Warsaw, Poland

